Hydrobiologia

The International Journal of Aquatic Sciences

Volume 532, 1 January 2005

Primary Research Papers

Sedimentation of chlorophylls in an Arctic fjord under freshwater discharge
P. Dobrzyn, A. Keck, A. Tatur 1–8

Laboratory culture studies of *Trichodesmium* isolated from the Great Barrier Reef Lagoon, Australia
P.R.F. Bell, P.J.R. Uwins, I. Elmetri, J.A. Phillips, F.-X. Fu, A.J.E. Yago 9–21

Feeding habits of the juvenile striped weakfish, *Cynoscion guatucupa* Cuvier 1830, in Bahía Blanca estuary (Argentina): seasonal and ontogenetic changes
P. Sardiña, A.C. Lopez Cazorla 23–38

Uptake of sewage derived nitrogen by *Ulva rigida* (Chlorophyceae) in Bahía Nueva (Golfo Nuevo, Patagonia, Argentine)
M.N. Gil, A.I. Torres, J.L. Esteves 39–43

Phylogenetic relationships of nine mullet species (Mugilidae) in the Mediterranean Sea
C. Turan, M. Caliskan, H. Kucuktas 45–51

Response of epilithic diatom assemblages to urbanization influences
P. Newall, C.J. Walsh 53–67

The role of plankton, zoobenthos, and sediment in organic matter degradation in oligotrophic and eutrophic mountain lakes
T. Simčič 69–79

Hyporheic macroinvertebrates in riffle and pool areas of temporary streams in south eastern Australia
G.C. Hose, P. Jones, R.P. Lim 81–90

How much do valley fills influence headwater streams?
K.J. Hartman, M.D. Kaller, J.W. Howell, J.A. Sweka 91–102

***N*-Acetylglucosaminidase activities in wetlands: a global survey**
H. Kang, C. Freeman, S.S. Park, J. Chun 103–110

Mass loss and macroinvertebrate colonisation of fish carcasses in riffles and pools of a NW Italian stream
S. Fenoglio, T. Bo, P. Agosta, M. Cucco 111–122

The relationship between genome size, development rate, and body size in copepods
G.A. Wyngaard, E.M. Rasch, N.M. Manning, K. Gasser, R. Domangue 123–137

On the effects of topography on wind and the generation of currents in a large multi-basin lake
F.J. Rueda, G. Schladow, S.G. Monismith, M.T. Stacey 139–151

Grazing insects reduce algal biomass in a neotropical stream
N.C. Barbee 153–165

Effects of atmospheric N deposition on coarse organic matter in a headwater stream
M.A. Chadwick, A.D. Huryn 167–179

Chironomidae larvae as bioindicators of an acid mine drainage in Portugal
L. Janssens de Bisthoven, A. Gerhardt, A.M.V.M. Soares 181–191

Relations between hydrological variables and year-class strength of sportfish in eight Florida waterbodies
T.F. Bonvechio, M.S. Allen 193–207

Short Research Notes

Two modified Breder traps for quantitative studies of tropical amphidromous migration
A.J. Burky, M.E. Benbow, C.M. Way 209–214

Phylogenetic relationships of the Chinese cyprinid genus *Rhinogobio* Bleeker (Teleostei: Cyprinidae) based on sequences of the mitochondrial DNA control region, with comments on character adaptations
X.-Z. Wang, H.-Z. Liu 215–220

Endocrine disruption in the pituitary of white sucker (*Catostomus commersoni*) caged in a lake contaminated with iron-ore mine tailings
G.E. Fåhræus-Van Ree, J.F. Payne 221–224

Key to the management of the Western Himalayan Hillstreams in relation to fish species richness and diversity
M.S. Johal, Y.K. Rawal 225–232

Salt Ecosystems Section

Groundwater flow pattern in the vicinity of a salt lake
E. Holzbecher 233–242